



Fresco Harmony Industries LLC
Submittal Package:

Project Name:

Address:

Architect:

General Contractor:

Sub Contractor:

Contact:

Phone:

Fax:

Email:

05-15-2017



Description

Fresco Harmony is the nation's first color line designed specifically for use with all purpose joint compound. This color line, coupled with our proven three coat system, insures the most efficient and cost effective on the market.

Design Options

Includes our 40 color Signature Color Series, (custom colors available) three distinctive finishes, and a variety of color options for the sealer.

Sealer Options:

Recommended sealer is Modern Masters Venetian Topcoat clear. Metallic paint can be added to sealer to create a dynamic finish. Mix a ratio of one MI of Modern Masters metallic paint per one Oz of Modern Masters sealer to create a subtle color finish over any of our finishes. see frescoharmony.com for more information.

NO SPECIAL SUBSTRATE NEEDED

Applies to textured painted, drywall, concrete, wood, or masonry substrates with out use of primers. Drywall needs to

be finished to a level 3 or equivalent type drywall finish.

Warranty*

Fresco Harmony carries a 10 warranty against peeling, cracking, and chalking. Fresco Harmony only guarantees color consistency from batch to batch provided one full Color Pack is mixed with one 3.5 gallon of all purpose joint compound.

Delivery Time

Most orders have a 2-3 business day turnaround. We can accommodate rush orders as needed.

Trained Applicators

We have trained applicators nationally.

Cost

Fresco harmony is extremely cost competitive with most spreadable application systems. Most project install runs between 2.50 per sq/ft to 3.50 per sq/ft depending on substrate, quantity, wall height, local labor rates, and finish specification.

Installation

Fresco Harmony is applied with pan and knife or hawk and trowel. Base

coat is applied liberally leaving a, "lightning bolt" type subtle texture. The second coat is applied in a puzzle piece fashion completing one section at a time and is ran tightly. the sealer is a very tight coat and should be applied on surfaces and rooms over 55 degrees fahrenheit.

Clean Up - Leave a dime width of space for material build up when masking. Colored Joint compound will clean off surfaces and is water soluble.

Likewise, MM Venetian Topcoat is a water based product and will clean up with ease.

Material VOC

Fresco Harmony is extremely low VOC. Colorants are water based and also low VOC. See [MSDS](#) sheet on the website.

Handling and Storage

Store Color Packs, Joint Compound at room temperature in a dry location. Protect from freezing. MM Venetian Topcoat must be stored above 55 degrees F. Product should be mixed with clean water and stored at room temperature.

fresco harmony®

Live in Color



Product Catalog and
information landing page
[http://frescoharmony.com/
shop/](http://frescoharmony.com/shop/)

Videos landing page
[Click here to view videos](#)

Fresco Harmony® is the
nation's first color line for
drywall joint compound. It
is the first ever product to
fully utilize the versatility
of joint compound. In
other words, Fresco
Harmony® is
revolutionizing the way
walls get finished!



fresco harmony®

Live in Color

www.frescoharmony.com *FRESCO
HARMONY DOES NOT WARRANT,
GUARANTEE, OR ASSUME LIABILITY
FOR THE WORKMANSHIP OF THE
APPLICATOR. IT IS HIGHLY
RECOMMENDED TO HAVE A MOCK UP

WALL INSTALLED PRIOR TO
AUTHORIZATION TO INSTALL THE
WORK.

05-15-2017